

## પરીપત્ર

વિષય :- હોસ્ટેલો માટે લોખંડ ના બેડ, ટેબલ, ખુરશી ના નમૂના તથા કચેરી માટે લોખંડ ના સ્ટોર વેલ (કબાટ) તથા પરફોરેટેડ એન્ડ એડજેસ્ટેબલ સ્ટીલ રેક ના નમૂનાઓની ચકાસણી કરવા બાબત.( સર્વ આચાર્યશ્રી તથા યુનિટ અધિકારીઓ)

આથી નવસારી કૃષિ યુનિવર્સિટી તમામ ડિગ્રી/ડિપ્લોમા કોલેજ ના આચાર્યશ્રી તથા યુનિટ અધિકારીશ્રીઓને જાણ કરવામાં આવે છે કે યુનિવર્સિટી કક્ષાએ માટે લોખંડ ના બેડ, ટેબલ, ખુરશી ના નમૂના તથા કચેરી માટે લોખંડ ના સ્ટોર વેલ (કબાટ) તથા પરફોરેટેડ એન્ડ એડજેસ્ટેબલ સ્ટીલ રેક ની ખરીદી કરવાની કાર્યવાહી હાથ ધરેલ છે, જેથી આપની જરૂરિયાત મુજબ આ નમૂનાઓ યોગ્ય છે કે કેમ તેની ચકાસણી કરવા માટે આ નમૂનાઓ વિવેકાનંદ હોસ્ટેલ ખાતે તા. ૨૫/૧૦/૨૦૧૬ થી મૂકવામાં આવેલ છે. ( સંપર્ક શ્રી આર.ડી.પ્રજાપતિ ઓવરશિયર- ૮૯૮૦૨૯૪૪૬૪ તથા ડૉ. આર.પી.ગુનગા - ૯૪૦૮૮૫૧૩૪૨) તો સર્વોચ્ચ આ નમૂનાઓ ચકાસવા તથા તેમની જરૂરિયાત મુજબ યોગ્ય છે, કે કેમ તે બાબતે ચકાસવા આ સ્થળે રૂબરૂ મુલાકાત લઈ લેવા વિનંતી છે. આ નમૂનાઓ માં કોઈ ફેરફાર કરવાનો હોય તો તે અત્રેના સૂચનો લેખિત માં અત્રેની કચેરી ને ઇ-મેઈલ/પત્ર જાણ કરવા વિનંતી. જેથી તે મુજબ આ નમૂનાઓમાં આવેલ સૂચનો મુજબ ફેરફાર કરાવી તે મુજબ આખરી નમૂના મેળવી શકાય.

**આપના સૂચનો નીચેની પાર્ટીને મોકલી આપવા અને તેની જાણ અત્રેની કચેરીને કરવી.**

ક્રમ	માલસામાનની વિગત	પાર્ટીનું નામ, એડ્રેસ અને સંપર્ક નંબર
૧.	Providing, Supplying & making BED of required size ,shape & design approved by the competent authority .the frame of the bed shall be made from mild steel hollow section of required thickness & size, so as to make the whole structure sound & sturdy with all necessary support for rest area, the sleeping area shall be covered by CRC sheet of 16 SWG (GAUGE),with proper welding finishing the surface, removing of all objectionable welding spot for proper use of bed. The whole structure shall be made powdered coated of approved shade & colour etc complete as directed by the approved committee for the said purchase. The size of bad may be made & supplied in either of following size (a) 6'3"x 2'6" or 6'3" X 2'9" or 6'3" X 3' or 6'3" X 3'3"or 6'6"x 3'6" /(b) 6'6"x 2'6" or 6'6" X 2'9"or 6'6" X 3' or 6'6" X 3'3" or 6'6"x 3'6" or as per decision taken by the committee. Each unit should have approximate weight of 35 to 40 kg	ભાવના સ્ટીલ ઈન્ડસ્ટ્રીઝ, ૬-૭, કમલ ઈન્ડસ્ટ્રીઝ એસ્ટેટ, ઉત્તમ ડેરી રોડ, સુખરામનગર, રાખિયલ, અમદાવાદ-૩૮૦૦૨૩ મો. નં. ૯૮૨૫૦૧૫૧૯ ટે. નં. ૨૨૭૪૯૨૯૬ Email :-
૨.	Providing,Supplying & making TABLE OF REQUIRED SIZE ,SHAPE & DESIGN APPROVED BY THE COMPETENT AUTHORITY .THE FRAME of the table shall be made from MILD STEEL HOLLOW SECTION of required thickness & size, so as to make the whole structure sound & sturdy with all necessary support for resting table in true line & level area, the top area of table shall be covered by 18 SWG CRC sheet, with proper welding finishing the surface, removing of all objectionable welding spot for proper use of table. The whole structure shall be made powdered coated of approved shade & colour etc .The table must have proper leg space foot rest member at bottom, in the table at one side proper arrangements of drawers (at least three )with fixing locking arrangements of approved quality & make all drawers must be closed by one key (key shall be supplied in three Nos for each table) complete as directed by the approved committee for the said purchase. The size of table may be made & supplied in either of following size (a) 2'3"x 4' or 2'3" X 3'6" or 2'3" X 3'9" /(b) 2'6"x 4' or 2'6" X 3'6" or 2'6" X 3'9" or as per decision taken by the committee. Each unit should have approximate weight of 20 to 25 kg.	bbhavnasteelindustries@ rediffmail.com
૩.	Providing ,Supplying & making CHAIR of required size ,shape & design approved by the competent authority .the frame of the chair shall be made from mild steel hollow section of required thickness & size, so as to make the whole structure sound & sturdy with all necessary support for resting chair in true line & level area, the back rest area and bottom of chair shall be covered by 16 SWG CRC sheet, with proper welding finishing the surface, removing of all objectionable welding spot for proper use of chair. The whole structure shall be made powdered coated of approved shade & colour etc .The size of chair may be made & supplied as per decision taken by the committee. Each unit should have approximate weight of 5 to 8 kg.	
૪.	Providing ,Supplying & fixing NYLON ADJUSTER for bed of any size in proper way, so as to make the whole structure sound & steady with all necessary SCREWING	
૫.	Providing ,Supplying & fixing NYLON ADJUSTER for table/chair of any size in proper way, so as to make the whole structure sound & steady with all necessary screwing arrangements if Necessary.	
૬.	Providing ,Supplying & making Cupboard of required size ,shape & design approved by the competent authority .the frame of the cupboard shall be made from mild steel section of required thickness & size, so as to make the whole structure sound & steady with all necessary support front door single shutter /double shutters shall be made 18 mm gauge M.S. sheet & side and back portion shall be covered by 20 gauge M.S. sheet ,with proper welding finishing the surface, removing of all objectionable welding spot for proper use of cupboard . the whole structure shall be made powdered coated of approved shade & colour etc complete as directed by the approved committee for the said purchase	
૭.	Providing ,Supplying and made form ADJUSTABLE RACK of required size, shape made from Perforated M.S Angle & M.S Plate of required Thickness & Size The rack shall be	



	made in Such a Way that the Height, Length & width shall be Adjustable with Nuts & Bolts, with proper welding finishing the surface, removing of all objectionable welding spot for proper use of Cupboard . The whole structure shall be made powdered coated of approved shade & colour etc complete as directed by the approved committee for the said purchase.	
૮.	Providing ,Supplying & making <b>BED</b> of required size ,shape & design approved by the competent authority .the frame of the bed shall be made from mild steel hollow section of required thickness & size, so as to make the whole structure sound & steady with all necessary support for rest area,(the sleeping area shall be covered by 18 mm thick isi approved make ply wood sheet painted with two coats of oil painting of approved shade & colour .payment shall be paid separately for this & weight of plywood shall not be considered for this item),with proper welding finishing the surface, removing of all objectionable welding spot for proper use of bed. The whole structure shall be made powdered coated of approved shade & colour etc complete as directed by the approved committee for the said purchase. The size of bad may be made & supplied in either of following size (a) 6'3"x 2'6" or 6'3" X 2'9" or 6'3" X 3' or 6'3" X 3'3"or 6'6"x 3'6" /(b) 6'6"x 2'6" or 6'6" X 2'9"or 6'6" X 3' or 6'6" X 3'3" or 6'6"x 3'6" or as per decision taken by the committee. <b>Each unit should have approximate weight of 30 to 35kg.</b>	રાજદીપ સ્ટીલ ઈન્ડસ્ટ્રીઝ, ગુડલક બારેલ માર્કેટ, પીડબલ્યુડી સ્ટોરની સામે, ચાંદોલા, અમદાવાદ-૨૮ ટે. નં. ૨૫૩૨૩૨૪૫, ૨૫૩૨૧૫૪૭ Email :- rajdeep_steel@yahoo.com
૯.	Providing ,Supplying & making <b>CHAIR</b> of required size ,shape & design approved by the competent authority .the frame of the chair shall be made from mild steel hollow section of required thickness & size, so as to make the whole structure sound & steady with all necessary support for resting table in true line & level area.(theback support & sitting area area shall be covered by 18 mm thick isi approved make ply wood sheet with post machine pressed laminates/bision pannel with laminates of approved shade & colour. payment shall be paid separately for this & weight wof plywood shall not be considered for this item)with proper welding finishing the surface,removing of all objectionable welding spot for proper use of chair. the whole structure shall be made powdered coated of approved shade & colour etc the size of chair may be made & supplied as per decision taken by the committee. <b>Each unit should have approximate weight of 4 to 6 kg.</b>	
૧૦.	Providing ,Supplying & fixing 12 mm thick ISI, approved make ply wood of required size for bed, painted with wood primer & two coats of oil painting of approved shade & colour ,fixing the plywood with screws/necessary fixtures & fasteners in the rest area of bed at bottom/side as per design of the bed in proper line & level for bed of any size in proper way, so as to make the whole structure sound & steady etc complete as directed.	
૧૧.	Providing ,Supplying & fixing 18 mm thick ISI ,& approved make & brand plywood of required size for top of table/chair bottom & back, covered with 1 mm thick laminates of approved shade & colour of ISI make with approved quality of sythintic glue(feivicol brand or equivalent make)in proper way, machine pressed ,no air bubble shall be found after fixing of laminates, the periphery of the said top shall be covered with 18 mm thick teak wood patti painted with wood primer & two coats of oil painting of approved shade & colour ,fixing the sheet with screws/necessary fixtures & fasteners as per design of the bed in proper line & level for table/chair of any size in proper way, so as to make the whole structure sound & steady etc complete as directed.	
૧૨.	Providing ,Supplying & making <b>TABLE</b> of required size ,shape & design approved by the competent authority .the frame of the table shall be made from mild steel hollow section of required thickness & size, so as to make the whole structure sound & steady with all necessary support for resting table in true line & level area, (the top area shall be covered by 18 mm thick isi approved make ply wood sheet with post machine pressed laminates/bision pannel with laminates of approved shade & colour. payment shall be paid separately for this & weight of plywood shall not be considered for this item),with proper welding finishing the surface, removing of all objectionable welding spot for proper use of table. The whole structure shall be made powdered coated of approved shade & colour etc .The a table must have proper leg space foot rest member at bottom, in the table at one side proper arrangements of DRAWERS (AT LEAST THREE )with FIXING locking arrangements ALL DRAWERS BY ONE KEY complete as directed by the approved committee for the said purchase. The size of table may be made & supplied in either of following size (a) 2'3"x 4' or 2'3" X 3'6" or 2'3" X 3'9" /(b) 2'6"x 4' or 2'6" X 3'6" or 2'6" X 3'9" or as per decision taken by the committee. <b>Each unit should have approximate weight of 15 to 20kg.</b>	પિતૃકૃપા વુડન વર્ક્સ, ૧૭, જયદીપ કોમ્પ્લેક્સ, ગગનપેલેસની સામે, ગેલેક્ષી સીનેમા રોડ, ને.હા.નં. ૮, નારોડા, અમદાવાદ-૩૮૨૩૩૦ મો. નં. ૯૮૯૮૦૩૪૯૭૧, ૯૭૨૪૩૦૦૪૩૭, ૯૭૨૪૩૦૭૧૩૮ Email :- pitrukupawoodenworks@gmail.com


આ નમુનાઓ ચકાસી અને અભિપ્રાય ઉપરોક્ત ઉત્પાદકો અને અત્રેની કચેરીને તા. ૧૧.૧૧.૨૦૧૬ સુધીમાં મોકલવા. ફર્નિચર કમિટી આ નમુનાઓ માટે રજૂ થયેલ સુચનોને ધ્યાનમાં લઈ નમુનાઓમાં ફેરફાર સુચવશે. તો આ અંગે ઘટતું થવા સાડુ.

નકલ/કાર્ડ/બી-૮/૭૦૮૬/૨૦૧૬

તા. ૨૭.૧૦.૨૦૧૬

નકલ રવાના:-

ઉપરોક્ત ઉત્પાદકો તરફ જરૂરી જાણ તથા ઘટતું થવા સાડુ.

  
કાર્યપ્રાધિક ઈજનેર,  
નવસારી કૃષિ યુનિવર્સિટી,  
નવસારી