

ટેન્ડર નોટીશ

નવસારી કૃષિ યુનિવર્સિટી હસ્તકની ફીશરીઝ સાયન્સ કોલેજ, નવસારી ખાતે ઓટોમેટીક ફેટ એક્સ્ટ્રેક્શન સિસ્ટમ ખરીદવામાં આવનાર છે. જેમનાં તાંત્રિક ધારાધોરણો તેમજ પ્રક્રિયાની બોલીઓ અને શરતો વિશ્વવિદ્યાલયની વેબસાઈટ ઉપર મુકેલા છે. જે રસ ધરાવતી પાર્ટીઓએ સ્પેસીફિકેશન/ નિયમો/શરતો WWW.NAU.IN પરથી ડાઉનલોડ કરી તેનો બરાબર અભ્યાસ કર્યા બાદ પોતાના ભાવો ઉપરોક્ત સરનામે બંધ કવર ઉપર " ફીશરીઝ સાયન્સ કોલેજના ઓટોમેટીક ફેટ એક્સ્ટ્રેક્શન સિસ્ટમના ભાવ ૨૦૧૮-૧૯ " લખી તા. ૧૫/૦૩/૨૦૧૯ સુધીમાં ટપાલ/ કુરીયર દ્વારા અત્રેની કચેરીને પહોંચતા કરવા જણાવવામાં આવે છે. ટેન્ડર ફી ૧૫૦૦/- તેમજ ઈએમડીનો ડીમાન્ડ ડ્રાફ્ટ "ડી.ડી.ઓ. એસ્ટાબ્લીશ્મેન્ટ ઓફ કોલેજ ઓફ ફીશરીઝ, નવસારી " ના નામનો કઠાવી ટેન્ડર સાથે મોકલી આપવાનો રહેશે.

આચાર્ય

કોલેજ ઓફ ફીશરીઝ સાયન્સ, ન.કૃ.યુ., નવસારી.

Date:- 22/02/2019 Sandesh News Paper Surat Region



વૉ 8૫૦Z GM8LX ૦v



GJ; FZL S1QF IJGJI; 8L C:TSGL OLXZLh ; F1g; SM, H4 GJ; FZL BFT[VMBMD8LS 0B
V8:85XG I; :8D BZLNJFDF VEFJGFZ KP HDGF TFI+S WFZFWMZ6M TPDH 5J\$J FGL AM, LVM
VG[XZTM IJ`JIJWF, IGL JA; F. 8 p5Z D8J, F KP H[Z; WZFJTL 5F8LVMV[:5J; LOLSXGq
IGI DMqXZTM WWW.NAU.IN 5ZYL OfpG, MD SZL TGM AZFAZ VeIF; SI F"AFN 5MTFGF
EFJM p5ZMST ; ZGFD[AW SJZ p5Z cc OLXZLh ; F1g; SM, HGF VMBMD8LS 0B V8:85XG
I; :8DGF EFJ Z_! (v!)cc , BL TFP! 5q_#qZ_!) ; WLDFA85F, q SZLI Z EFZF V+GL SRZLG[
5CMRTF SZJF H6FJJFDF VEFJ[KP 8૫૦Z 0L ! 5__qV TPDH . V[DOLGM OLDfG0 0F08 cc0LP0LPVMP
Vf:8fa, L:8D૫8 VMD SM, H VMD OLXZLh ; F1g; 4 GJ; FZL cc GF GFDGMS-FJL 8૫૦Z ; FY[DMS, L
VF5JFGMZCXP

VFRFI "

SM, H VMD OLXZLh ; F1g; 4 GPSPI P4GJ; FZLP

EFJ 5+S

VM8MD]8LS 0]8 V]S: 8]SXG I; : 8D EFJGL BZLNLG] EFJ5+S

EFJ5+S DMS, JFGL K], L TFZLB0! 5q_#q Z_!)

HFPG] GPSPI]JLXLV]GqOLXZLh qVM8MD]8LS 0]8 V]S: 8]SXG I; : 8D EFJq8gOZq q!) TFP

8gOZ OL	~FP ! 5__qv
Z; LNqOLPOLPqR]S GAZ	
TFZLB	
A]S]G]GFD	
; 1FD VIWSFZLGL ; CL	

VPG]	BZLNGL IJUT	: 5]XL0LS]XG	VNFHLT BZLNL HyYM	EFJs~FPf
! P	VM8MD]8LS 0]8 V]S: 8]SXG I; : 8D EFJ	<p><u>A. Automatic PC Compatible Solvent Extraction System</u></p> <ul style="list-style-type: none"> Fully Automatic Programmable Six Place Auto sequencing PC Compatible Solvent Extraction System TFT Graphic Touch Screen Display with unique wireless mouse to operate at a distance of 1-2 mtrs. Should have 2 Ports in the motherboard one for PC connectivity another for direct connection to Remote Mouse/Datalogger/ Memory stick Memory stick for data storage with separate port in mother board apart from PC Port Temperature Controller should be isolated separately in a control tower to protect electronics from digestion heat zone and acid reaction zone Icons to represent output of heating process in touch screen display (70 programs, 12 ramps) Auto Phase change of extraction includes boiling, Condensation, rinsing, solvent recovery & predrying PC software performs Live graphical representation of time /temperature gradient on touch screen display Inbuilt Airpump , SS Manifold, Automatic collection of recovered Solvent ,Versatile sizes of thimble, Remote control module for wireless data monitoring, control and transfer to PC at a distance of 10 feet 	! GU	

		<ul style="list-style-type: none"> • The Entire display screen of Controller should wirelessly appear in the PC/ Laptop of user, to monitor & control from his work table. . <p><u>B. Automatic motorized solvent dispenser with LCD display 0.01 to 100 ml</u></p> <ul style="list-style-type: none"> • Motorized LCD Digital Bottle Top Dispenser with touch screen display, 0.01-99.9ml • Application : Electronic Motorized Digital Bottle top Dispensers is ideal for safe, accurate and precise dispensing of solvents. It is also useful for dispensing of bases, saline solutions, acids and some organic solvents. • Dispensing volume range : Dispense from 0.01ml to 99.99ml • Display : TFT touch screen display module • Dispense Nozzle : Adjustable dispensing nozzle with flexible tube • Remote Control: Incorporates a corded remote control. • Display modes: Two dispensing modes. Single volume dispensing or multi-dispensing the desired volume • Motor : High quality stepper motor provides smooth and accurate dispensing • Programming Features: Volume selection and control • Other Highlights: Recirculation feature minimizes waste when priming, Instrument is portable and can be recharged in 4 hours providing approximately 5 hours usage • Includes adaptors to fit all common lab bottles. 		

BZLNGL XZTMov

s! f EFJ TDFD 8S; ; FYGF VF5JFP EFJGF ; NEDFASZJZF HJF S[; [8fF4 VMS8M S[VgI : YFIGS JZFGL
IJUTM EFJMDA: 508 H6FJJFGL ZCXP HM VF DFICTL VF5JFDFAGIC VFJ[TM AWF JZFGM ; DFJX VF5[
EFJM; FY[; DFJX Y. UI[, K[VDP DFGL , JFDFAVFJXP

sZf IGI T 8f0Z OMD" ZMSOYL SM, H VMO OLXZLh ; F! g; 4 GJ; FZL BFT[YL SRZL ; DI NZd[FG s) o__ YL
! *o__ FD/L ZCXP[VG[H[5F8L" www.nau.in 5ZYL 8f0Z OfpG, MD SZLG[EZX[TD6[TGL ; FY[8f0Z
OL TZLS[OLFf0 OFO8qR\$ **“DDO ESTABLISHMENT OF COLLEGE OF FISHERES N.A.U., NAVSARI”** GF GFDGM SBI NAU Branch, Navsari GM SF-L 8f0Z
; FY[DMS, JFGMZCXP

s#f 8f0Z EZGFZ NZS 5F8LV[**EMD** 8f0ZGL S[, VNFHLT ISDTGF #%5DF6[~FP! 45 qv ZSDGM
OLPOLP **“DDO ESTABLISHMENT OF COLLEGE OF FISHERES N.A.U., NAVSARI”** GM SF-L 8f0Z ; FY[DMS, JFGMZCXP H[8f0ZGL 5[S] F 5b" YI F AFN SIDI8 EFZF 5F8LGF
EFJ DHZ SZJFDFVFXP TGF I; JFI GL 5F8LGF OLPOL 5ZT SZJFDFVFXP H[5F8LGF EFJ DHZ YX[TI
5F8LV[VMOZ D?I|ML DHZ YI[, EFJMGF 5 @ I; SI ZL8L OL5MhL8 5B[OLFf0 OFO8 **“DDO ESTABLISHMENT OF COLLEGE OF FISHERES N.A.U., NAVSARI”** GF
GFDGM HDF SI F AFN **EMD** 5ZT SZJFDFVFXP

s\$f EFJ5+SG[sTDFDIJUTM; FY[f : L_ AW SJZDFVFRFI 'zL4 SM, H VMO OLXZLh ; F! g; 4 GPSPI P4
GJ; FZL v #) &\$5_GL SRZLG[TFP! 5q_#qZ_!) GFI! *o__ S, FS 5C[, F 5M: 8q SZLI Z EFZF DMS, JR

s5f 8f0ZDFANXFJ I F DHAGLIJUT 5DF6G] EFJ5+S H DfgI U6FXP

s&f AW SJZ 5Z cc VM8MD]8LS O]B V]S: 8\$XG I ; : 8D GFEFJcc TYF EFJ5+S VG[DMS, GFZG] GFD
VG[; ZGFD] VJxI , BJ}

s*f VM8MD]8LS O]B V]S: 8\$XG I ; : 8D GL ; FD[: 5XL0LSXG DHAGL U]6JTF CMUL HM. VP

s(f EFJ5+SG[ZN SZJFGM CS GSSL SZ[, L SDL8LGM ZCXP HGM SM. 56 B] , F; M VF5JFDFVFXP[GCLM HGL
ZH]VFT SM8DASZL XSFX[GCLR

s)f EFJ5+S HDF YI F 5KL SM. 56 OZOFZ SZL XSFX[GCLR

s! _f SM. 56 ZSDGL R\$J6L VFU/YL YX[GCLR 5D]8 I]GJI; 8LGF IGI DMG; FZ SZJFDFVFXP[TDPH
DF, ; FDFG pWFZAL, YL VF5JFGMZCXP[VG[DF, GL RSF; 6L SI F" 5KL H AL, GL ZSD R\$JJFDFVFXP

s! ! f SM. 56 K]Kf8 S["Offer"G[EFJ5+SDFVH-ZYL NXF]JLP

s! Zf SM. 56 5]GqOL; %I]B p5I:YT YFI TM I]GJI; 8LGF ; tTFIWX VIWSFZLVMM GJ; FZL SIOF I]GJI; 8L4
GJ; FZLGM IG6I OF. G, ZCXP[VG[T[AWGSTF ZCXP[VG[SM. 56 HFTGL SFGGL SFI JFCL GJ; FZL IH<, F
5ZTL DI FINT ZCXP

s! #f V]SJFZ DfgI ZFB[, EFJMG M p5I MU GJ; FZL SIOF I]GJI; 8LGF TFAF C9/GL NZS SRZLVMM DF8[
TFP#! q#qZ_!) ;]ML DfgI ZCXP[VG[H~Z H6FI [-A~ JF8F3F8YL EFJM GSSL SZJFDFVFXP

s! \$f DMS, JFDFVFXP, VM8MD]8LS O]B V]S: 8\$XG I ; : 8DGL U]6JtTF VG[: 5XL0LSXG D]HA VG[. g: 8M, XG
5KL 5D]8 SZJFDFVFXP

s! 5f VM8MD]8LS O]B V]S: 8\$XG I ; : 8DGF EFJ SM, H VMO OLXZLh ; F! g; 4 GJ; FZL SIOF I]GJI; 8L4GJ; FZL
;]ML 5CMRFOJFGF TYF TDFD . g: 8M, XG ; FYGF ZCXP

s! &f DfgI YI[, J]5FZLV[H~ZL 5DF65+4 PAN GAZ GST GAZ ZH]SZJFGMZCXP

s! *f H[T[J: T]VM 5Z VFJSJZM , FU] 50TM CX[T]JL J: T]MIGF AL, DFYL VFJSJZFG S5FT IGI D D]HA
SZJFDFVFXP

s! (f DF, ; FDFG DMS, JFGM; DI UF/M VMOZ VF%I FYL Z__ INJ; GM ZCXP[HDFJ: T]VM sDF, ; FDFGF SM, H
VMO OLXZLh ; F! g; 4 GJ; FZL SIOF I]GJI; 8L4 GJ; FZL4 BFT[5CMRFOJFGF4pTFZJFGLTYF
. g: 8M, XG SZJFGL ; 3/L HJFANFZL H[T[5F8L" sj I ISTf GL ZCXP

s!) f 8f0ZDFVNFHLT BZLNGLM HyYM NXF]J, K[5ZT] Ufg8GL DI FNDFVVG[I]GJI; 8LGF ; 1FD VMYML8LGL
DHZL 5KL H H~ZLI FT D]HAGMH[T]J: T]GM HyYM BZLNJFDFVFXP[HDFJWv38 YJFGL XSI TF ZCXP

ભાવપત્રક ભરનાર પાર્ટીની પ્રાથમિક માહિતી

૧	પાર્ટીનું નામ	:	
૨	સરનામું	:	
૩	મોબાઈલ નંબર	:	
૪	પાન નંબર (પુરાવો રજુ કરવો)	:	
૫	GST નંબર (પુરાવો રજુ કરવો)	:	
૬	ટેન્ડર ફી ની વિગત ડીડી/રસીદ નંબર જનાવાવો	:	
*	EMD ની વિગત ડીડી નંબર	:	

8f0ZGL ; DU|XZTM! YL !) DG[DHZ KP

ભાવપત્રક મોકલનારની સહીસિક્કો અને સરનામું ,